

Transformation of Trace Organic Chemicals by Microbial Communities Adapted to Aniline, Histidine, or Di-sodium succinate as Carbon Source

Edwin Chingate

Technical University of Munich

School of Engineering and Design

Chair of Urban Water Systems Engineering

Munich, 14. July 2022









# Content

- Trace organic chemicals and biological removal
- Hypothesis description
- Retentostat system for the study of bacterial metabolism
- Experimental results
- On going research







#### Black boxes for removal of TOrCs







#### Black boxes for removal of TOrCs









4



# Molecular similarity hipothesis





# Single energy source









#### Lab-scale membrane bio-reactor









#### Activated sludge as inoculum



#### **Oxic conditions**

# Pretreatment: -Batch reactor operation



8



#### **TOrCs** biotransformation



# 2 weeks before



https://www.freepik.com





#### **TOrCs** biotransformation



Add TOrCs in feeding solution

Day 0









#### **TOrCs** biotransformation



Edwin Chingate | 14.07.2022



11



# Biotransformation of carbamazepine and sulfamethoxazole









## Selective biotransformation of TOrCs

















# Thank you!



# **Nowelties**

European Joint Doctorate

# edwin.chingate@tum.de

This research was funded by the European Union's Horizon 2020 research and innovation program under the Marie Skłodowska-Curie grant agreement, MSCA-ITN-2018, [grant number 812880]



