



VIENNA
SCIENTIFIC
CLUSTER



DEEP
LEARNING
INSTITUTE

Accelerated Computing with OpenACC and Deep Learning

27 – 29 April 2021

VSB TECHNICAL
UNIVERSITY
OF OSTRAVA

IT4INNOVATIONS
NATIONAL SUPERCOMPUTING
CENTER

MODULE SIX: LOOP OPTIMIZATIONS

Dr. Volker Weinberg | LRZ | 27.04.2021

PRIVATE AND FIRSTPRIVATE CLAUSES

- The **private** clause allows the programmer to define a list of variables as “thread-private”.
- Each thread will be given a private copy of every variable in the comma-separated list
- **firstprivate** is like private except that the private values are initialized to the same value used on the host. **private** variables are uninitialized.

```
double tmp[3];  
  
#pragma acc kernels loop private(tmp[0:3])  
for( i = 0; i < size; i++ )  
{  
    tmp[0] = <value>;  
    tmp[1] = <value>;  
    tmp[2] = <value>;  
}  
  
// note that the host value of “tmp”  
// remains unchanged.
```

PRIVATE AND FIRSTPRIVATE CLAUSES

- Variables in **private** or **firstprivate** clause are private to the loop level on which the clause appears.
- Private variables on an outer loop are shared within inner loops.


```
double tmp[3];

#pragma acc kernels loop private(tmp[0:3])
for( i = 0; i < size; i++ ) {
    // the tmp array is private to each iteration
    // of the outer loop
    tmp[0] = <value>;
    tmp[1] = <value>;
    tmp[2] = <value>;
    #pragma acc loop
    for ( j = 0; j < size2; j++ ) {
        // but tmp is shared amongst the threads
        // in the inner loop
        array[i][j] = tmp[0]+tmp[1]+tmp[2];
    }
}
```

LOOP OPTIMIZATIONS

GANG WORKER VECTOR

- Gang / Worker / Vector defines the various levels of parallelism we can achieve with OpenACC
- This parallelism is most useful when parallelizing multi-dimensional loop nests
- OpenACC allows us to define a generic Gang / Worker / Vector model that will be applicable to a variety of hardware, but we will focus a little bit on a GPU specific implementation



GANG WORKER VECTOR

- When paralleling our loops, the highest level of parallelism is **gang level parallelism**
- When encountering either the kernels or parallel directive, multiple gangs will be generated, and loop iterations will be spread across the gangs
- These gangs are completely independent of each other, and there is no way for the programmer to know exactly how many gangs are running at a given time
- In many architectures, the gangs have completely separate (or private) memory



GANG WORKER VECTOR

- In our code example, we see that we are applying the **gang** clause to an outer-loop
- This means that the outer-loop iterations will be split across some number of gangs
- These gangs will then execute in parallel with each other
- Whenever a parallel compute region is encountered, some number of gangs will be created
- The programmer is able to specify exactly how many gangs to create



```
#pragma acc parallel loop gang
for( i = 0; i < N; i++ )
  for( j = 0; j < M; j++ )
    < loop code >
```


GANG WORKER **VECTOR**

- A **vector** is the lowest level of parallelism
- Every gang will have **at least 1 vector**
- A vector has the ability to **run a single instruction on multiple data elements**
- Many different architectures can implement vectors in different ways, however, OpenACC allows for us to define them in a general, non-hardware-specific way



GANG WORKER **VECTOR**

- In our code example, the inner-loop iterations will be evenly divided across a vector
- This means that those loop iterations will be executing in parallel with one-another
- Any loop that is **inside** of our vector loop cannot be parallelized further



```
#pragma acc parallel loop gang
for( i = 0; i < N; i++ )
  #pragma acc loop vector
  for( j = 0; j < M; j++ )
    < loop code >
```

GANG **WORKER** VECTOR

- The **worker clause** is a way for the programmer to have **multiple vectors** within a gang
- The primary use of the worker clause is to split up one large vector into multiple smaller vectors
- This can be useful when our inner parallel loops are very small, and will not benefit from having a large vector



GANG **WORKER** VECTOR

- In our sample code, we apply both gang and worker level parallelism to our outer-loop
- The main difference this creates for our code is that we can now have smaller vectors running the inner loop
- This will most likely improve performance **if** the inner loop is relatively small



```
#pragma acc parallel loop gang worker
for( i = 0; i < N; i++ )
    #pragma acc loop vector
    for( j = 0; j < M; j++ )
        < loop code >
```

PARALLEL DIRECTIVE SYNTAX

- When using the parallel directive, you may define the number of gangs/workers/vectors with **num_gangs(N)**, **num_workers(M)**, **vector_length(Q)**
- Then, you may define where they belong in the loops using **gang**, **worker**, **vector**

```
#pragma acc parallel num_gangs(2) \
num_workers(2) vector_length(32)
{
    #pragma acc loop gang worker
    for(int x = 0; x < 4; x++){
        #pragma acc loop vector
        for(int y = 0; y < 32; y++){
            array[x][y]++;
        }
    }
}
```

PARALLEL DIRECTIVE SYNTAX

- You may also apply gang/worker/vector when using the parallel loop construct

```
#pragma acc parallel loop num_gangs(2) num_workers(2) \  
    vector_length(32) gang worker  
for(int x = 0; x < 4; x++){  
    #pragma acc loop vector  
    for(int y = 0; y < 32; y++){  
        array[x][y]++;  
    }  
}
```

KERNELS DIRECTIVE SYNTAX

- When using the kernels directive, the process is somewhat simplified
- You may define the location and number by using **gang(N)**, **worker(M)**, **vector(Q)**
- You may also define gang, worker, and vector using the same method as with the parallel directive
- If you do not specify a number, the compiler will decide one

```
#pragma acc kernels loop gang(2) worker(2)
for(int x = 0; x < 4; x++){
    #pragma acc loop vector(32)
    for(int y = 0; y < 32; y++){
        array[x][y]++;
    }
}
```

KERNELS DIRECTIVE SYNTAX

- When using the kernels directive, the process is somewhat simplified
- You may define the location and number by using **gang(N)**, **worker(M)**, **vector(Q)**
- You may also define gang, worker, and vector using the same method as with the parallel directive
- If you do not specify a number, the compiler will decide one
- Each loop nest can have different values for gang, worker, and vector

```
#pragma acc kernels
{
    #pragma acc loop gang(2) worker(2)
    for(int x = 0; x < 4; x++){
        #pragma acc loop vector(32)
        for(int y = 0; y < 32; y++){
            array[x][y]++;
        }
    }


    #pragma acc loop gang(4) worker(4)
    for(int x = 0; x < 16; x++){
        #pragma acc loop vector(16)
        for(int y = 0; y < 16; y++){
            array2[x][y]++;
        }
    }
}
```


WARPS

- So far we have been using a very small number of gangs/worker/vectors, simply because they're easier to understand
- When actually programming, the number of gangs/worker/vectors will be much larger
- When specifically programming for an NVIDIA GPU, you will always want your vectors large enough to fully utilize **warps**
- A warp, simply put, is an optimized group of 32 threads
- To utilize warps in OpenACC, always make sure that your vector length is a **multiple of 32**

CUDA PROGRAMMING MODEL REVIEW

- A grid is composed of blocks which are completely independent
- A block is composed of threads which can communicate within their own block
- 32 threads form a warp
- Instructions are issued per warp
- If an operand is not ready the warp will stall
- Context switch between warps when stalled



GANG WORKER VECTOR

- Gang is a general term that can mean a few different things. In short, it depends on your architecture.
 - On a multicore CPU, generally gang=thread.
 - On a GPU, generally gang=thread block.
- The way I like to think of it is that gang represents my outer-most level of parallelism for any architecture I am running on.

LOOP OPTIMIZATION RULES OF THUMB

- It is rarely a good idea to set the number of gangs in your code, let the compiler decide.
- Most of the time you can effectively tune a loop nest by adjusting only the vector length.
- It is rare to use a worker loop. When the vector length is very short, a worker loop can increase the parallelism in your gang.
- When possible, the vector loop should step through your arrays
- Use the `device_type` clause to ensure that tuning for one architecture doesn't negatively affect other architectures.

MODULE REVIEW

KEY CONCEPTS

In this module we discussed...

- The loop directive enables the programmer to give more information to the compiler about specific loops
- This information may be used for correctness or to improve performance.
- The device_type clause allows the programmer to optimize for one device type without hurting others.

LAB ASSIGNMENT

In this module's lab you will...

- Update the code from the previous module in attempt to improve the performance
- Use PGProf to analyze the performance difference when changing your loops
- Experiment with the `device_type` clause to ensure GPU optimizations don't slow down the multicore speed-up, or vice versa